

Please amend the above-identified application as follows:

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (Currently Amended) A digital camera comprising:  
a reader that can read image data from two or more recording media;  
a display which performs display of the image data; and  
a display controller which causes said display to display information that specifies the recording medium from which the image data was read as well as the image based on the image data, wherein the information is displayed adjacent to each image.
2. (Previously Presented) A digital camera according to claim 1, wherein the information which specifies the recording medium comprises an indicia that distinguishes the recording medium from which the image data was read from others of the two or more recording media.
3. (Original) A digital camera according to claim 1, further comprising two or more card slots, and the recording media are memory cards mounted in these card slots.
4. (Original) A digital camera according to claim 3, wherein the information which specifies the recording medium is information that indicates the card slot in which the memory card is mounted.
5. (Currently Amended) A digital camera comprising:  
a reader which reads image data from a first recording medium and a second recording medium;

a display which performs display of the image; and  
a display controller which causes said display to display essentially simultaneously and adjacent to each other a first image based on the image data read from the first recording medium and a second image based on the image data read from the second recording medium.

6. (Original) A digital camera according to claim 5, wherein said display controller causes said display to display the information that specifies the first recording medium in a manner such that it is associated with the first image, and causes said display to display the information that specifies the second recording medium in a manner such that it is associated with the second image.

7. (Currently Amended) A digital camera comprising:  
a reader which can read image data from any of two or more recording media;  
a display which performs display of the image;  
an user input for selecting a rule from a plurality of rules defining a sequence of the images; and  
a display controller that, ~~by handling a plurality of items of image data recorded in the two or more recording media in a sequence based on a user-specified rule specified independently of the order in which the items of image data are recorded in the two or more recording media,~~ causes said display to sequentially display the plurality of images in accordance with the sequence defined by the selected rule.

8. (Currently Amended) A digital camera according to claim 7, wherein the sequence based on the user-selected ~~specified~~ rule is the ascending or descending order of the recording times for the plurality of items of image data.

9. (Currently Amended) A digital camera according to claim 7, wherein the sequence based on the user-selected ~~specified~~ rule is the sequence in accordance with the predetermined order of the two or more recording media.

10. (Currently Amended) A digital camera according to claim 7, wherein said display controller causes said display to display the information that specifies the recording medium from which the image data was read ~~together with~~ adjacent to the image ~~displayed~~ based on the image data.

11. (Currently Amended) An image display method in a digital camera comprising:

determining an operational mode of the camera;

in a first operational mode:

reading image data from one of two or more recording media; and

displaying an image based on the image data and the information that specifies the recording medium from which the image data was read; and

in a second operational mode:

reading first and second image data from, respectively, first and second ones of the two or more recording media; and

displaying first and second images based, respectively, on the first and second image data, such that the first and second images are adjacent.

12. (Currently Amended) An image display method in a digital camera comprising:

reading image data from a first recording medium and a second recording medium;  
and

displaying ~~[[the]]~~ a first image based on the image data read from the first recording medium and ~~[[the]]~~ a second image based on the image data read from the second recording medium, essentially simultaneously and adjacent to each other.

13. (Currently Amended) An image display method in a digital camera comprising:

~~specifying~~ accepting a selection of a rule from a plurality of rules for ordering a plurality of items of image data stored in two or more recording media, the ordering

defining a sequence specified independently of the order in which the items of image data are recorded in the two or more recording media;

displaying an image based on a selected one of the plurality of items of image data;

accepting a designation to display either a next image or a prior image; and

displaying a next item of image data in accordance with said sequence when the next image is designated, and displaying a prior item of image data in accordance with said sequence when the prior image is designated.

14. (Currently Amended) A digital camera comprising:

a body;

an image capture unit disposed within said body;

a reader, disposed within said body, that can read image data from two or more recording media;

a display, disposed on said body, which performs display of the image data; and

a display controller, disposed within said body, which causes said display to display information that specifies the recording medium from which the image data was read as well as the image based on the image data, the display controller being operable in a first mode in which the images based on the image data are displayed one-at-a-time and a second mode in which two images based on image data from different recording media are displayed concurrently and adjacent to each other.

15. (Previously Presented) A digital camera according to claim 14, wherein the information which specifies the recording medium comprises an indicia that distinguishes the recording medium from which the image data was read from others of the two or more recording media.

16. (Previously Presented) A digital camera according to claim 14, further comprising two or more card slots, and the recording media are memory cards mounted in these card slots.

17. (Previously Presented) A digital camera according to claim 16, wherein the information which specifies the recording medium is information that indicates the card slot in which the memory card is mounted.

18. (Currently Amended) A digital camera comprising:  
a body;  
an image capturing unit disposed within said body;  
a reader, disposed within said body, which reads image data from a first recording medium and a second recording medium;  
a display disposed on said body; and  
a display controller, disposed within said body, which causes said display to display essentially simultaneously, and adjacent to each other, a first image based on the image data read from the first recording medium and a second image based on the image data read from the second recording medium.

19. (Previously Presented) A digital camera according to claim 18, wherein said display controller causes said display to display the information that specifies the first recording medium in a manner such that it is associated with the first image, and causes said display to display the information that specifies the second recording medium in a manner such that it is associated with the second image.

20. (Currently Amended) An image display method in a digital camera comprising:  
determining whether the camera display mode is a single image display mode or a dual image display mode;  
reading image data from at least one of two or more recording media responsive to the determined camera display mode; and  
displaying an image based on the determined camera display mode, the image data, and ~~[[the]]~~ information that specifies the recording medium from which the image data

Application No. 09/735,751  
Amendment dated February 7, 2006  
Reply to Office Action of September 13, 2005

was read such that an image based on the image data is displayed adjacent to the information that specifies the recording medium from which the image data was read.

21. (Currently Amended) An image display method in a digital camera comprising:

determining whether the camera is in a dual image display mode;

reading image data from a first recording medium and a second recording medium responsive to the determined display mode; and

displaying, responsive to the camera being in the dual image display mode, a first image based on the image data read from the first recording medium and a second image based on the image data read from the second recording medium, essentially simultaneously, and adjacent to each other.